


INFILED

Screen your dreams

15
Consistent Excellence



TITAN-X
SERIES

OUTDOOR RENTAL SOLUTIONS



TITAN-X is a robust and easy-to-install LED display solution for outdoor rental applications. The height of the 8.3 pixel pitch screen can reach an astonishing 24 metres. Featuring a transparency of 70%, high load capacity, a rear foldable frame and quick installation system, this product is the ultimate solution for concerts, festivals, tours and other outdoor events. The extra-large 1200x1200 mm cabinets with the unique lifting operation design of the carrier shorten the installation time to a new level.

Its dedicated dolly system allows easy transport and also enables efficient installation. It saves storage space due to the foldable bracing design of each cabinet; even with extra accessories, the cabinets can still be transported in their dollies.

Robust and easy to install. 70% transparent outdoor touring solution. Can reach up to 24 m.

Outdoor applications



Fast Installation



IP65



High Brightness




Easy Maintenance

Pixel Pitch	8.3mm
Brightness	4.000nits
Cabinet size (WxHxD)	1200x1200x116mm



KEY FEATURES

High transparency




70% Transparency

The TITAN-X has a high transparency rate of 70%. It offers outstanding display performance, for beautiful and unique stage visual effects.

High load capacity

Each cabinet offers extensive load capacity and advanced overall stability due to its unique rear triangular foldable wind bracing system. It can resist wind speed of 20m/sec. for outdoor events, while the height of the screen can be up to 24m.




Up to 25m

Easy transportation




Its dedicated dolly system allows easy transportation and helps efficient installation too. Save storage space due to the foldable bracing design of each cabinet; even with extra accessories, the cabinets can still be transported in their dollies.

Quick installation



The extra large cabinets of 1200x1200mm with the unique design of lifting operation on the carrier shorten the installation time to a new level.

SPECIFICATIONS



Model Number

Pixel Pitch
Physical Density
LED Arrangement
Module Resolution
Module Dimensions

IL-RSS-ORAM8.3

8.33mm
14,400pixels/㎡m²
3 IN 1 SMD
72(H)x9(V)pixels
600x75mm (23.62x2.95in)

Cabinet Resolution
Cabinet Dimensions
Transparent Ratio
Cabinet Weight
Brightness
Max Power Consumption
Avg Power Consumption
Viewing Angle
Operating Power Source
Operating Temperature
Refresh Rate
IP Rating
Signal Input Source

144(H)x144(V)pixels
1200x1200x116mm (47.24x47.24x4.57in)
70%
33kg/panel (102.17lb)
4000-5000nits
750W/Panel
250W/Panel
160°/160°
100-240V AC 50-60Hz
-10°C ~ +45 °C
≤3,840Hz
IP65
EtherCON 1Gpbs

The product specifications can be customized

© Copyright 2023 INFILED. INFILED is a trademark of SHENZHEN INFILED ELECTRONICS Co, LTD. The information contained herein is subject to change without notice. INFILED shall not be liable for technical or editorial errors or omissions contained herein. For more information, please contact your local sales manager. March 2023



Shenzhen HQ | Barcelona | Dubai | Rotterdam | Los Angeles | Kuala Lumpur | Frankfurt

For more information, contact:
info.emea@infiled.com



www.infiled.com

Curve effect

The TITAN-X can be customized and assembled in angles between 0-15°, which makes it able to adapt to unlimited stage and creative design requirements.

